IEE Proceedings Part C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

Volume 131 1984 UK ISSN 0143–7046

HONORARY EDITORS

Dr. B.J. Cory, *Imperial College*
Dr. M.C. Ralph, *NEI Parsons Ltd.*
Prof. J.R. Smith, *University of Aberdeen*

Pages in issues of *IEE Proceedings Part C*, 1984

Pages	Issue no.	Date
1–32	1	January
33–80	2	March
81–116	3	May
117–148	4	July
149–212	5	September
213–300	6	September
301–364	7	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/84 $2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1984: The Institution of Electrical Engineers.

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Senior Assistant Editor*: Stephen Cokeham
Graphics Manager: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts.
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

IEE Proceedings Part C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

Volume 131 1984 UK ISSN 0143–7046

HONORARY EDITORS

Dr. B.J. Cory, *Imperial College*
Dr. M.C. Ralph, *NEI Parsons Ltd.*
Prof. J.R. Smith, *University of Aberdeen*

Pages in issues of *IEE Proceedings Part C*, 1984

Pages	Issue no.	Date
1–32	1	January
33–80	2	March
81–116	3	May
117–148	4	July
149–212	5	September
213–300	6	September
301–364	7	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/84 $2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1984: The Institution of Electrical Engineers.

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Senior Assistant Editor*: Stephen Cokeham
Graphics Manager: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts.
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

Index

IEE Proceedings Part C
Generation, Transmission and Distribution
Vol. 131. 1984

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Adam, J.F., Bradbury, J., Charman, W.R., Orawski, G., and Vanner, M.J. Overhead lines—some aspects of design and construction p149
Aggarwal, R.K., Johns, A.T., and Kalam, A. Computer modelling of series-compensated EHV transmission systems p188
Al-Rawi, A.M., and Johns, A.T. see Johns, A.T.
Arrillaga, J., Graham, J.C., and Hisha, H. Microprocessor-controlled HVDC simulator p197

B

Barr, D.M., and Read, P.W. see Read, P.W.
Bell, W.W., and Smith, J.R. see Smith, J.R.
Bennett, R.B., and Harris, F.R. Design features of the turbine-generator plant p252
Bickford, J.P., Doone, R.M., Ritchie, W.M., Savic, M.S., Shami, T.A., and Smith, C.T. Dynamic model of a surge arrester for computer calculation of lightning performance of substations p357
Bickford, J.P., and Savic, M.S. Some aspects of system modelling for the estimation of lightning performance of high voltage substations p204
Bodger, P.S. Modified and standard back-substitution fast-decoupled power flows compared to a Newton-like method for ill-conditioned systems p23
Boys, J.T., Elder, J.M., and Woodward, J.L. see Elder, J.M.
Bradbury, J., Adam, J.F., Charman, W.R., Orawski, G., and Vanner, M.J. see Adam, J.F.
Brooks, R.W. China Light & Power's project strategy p222
Brown, A.M. Project management for the design and supply of the power station mechanical and electrical plant p236
Brown, E.P.M., and Sirisena, H.R. Power-system state estimator availability analysis p117
Brucoli, M., Torelli, F., and Trovato, M. Natural decomposition of interconnected power systems for stability studies p16

C

Caldecott, R., DeVore, R.V., and Pleasants, S. see DeVore, R.V.
Chandler, J.A., Hinch, L.W., Fair, R.I., Hughes, D.A., Peraino, J., and Rowe, P.W. Jamuna River 230 kV crossing, Bangladesh—Pt. 2: Construction p319
Chandler, J.A., Hinch, L.W., Hughes, D.A., McDowell, D.M., Rowe, P.W., and Wood, A.B. Jamuna River 230 kV crossing, Bangladesh—Pt. 1: Design p303
Charman, W.R., Adam, J.F., Bradbury, J., Orawski, G., and Vanner, M.J. see Adam, J.F.
Chinnasamy, P., and Palanichamy, S. see Palanichamy, S.
Cory, B.J., and Macdonald, D.C. Eighth power systems computation conference (PSCC) p363
Cristina, S. Influence analysis of the shielding grid parameters on right-of-way and on corona effects of an EHV 3-phase transmission line p333
Crnošija, P. Determination of voltage-distortion factor for a network loaded with several DC motor drives p81

D

DeVore, R.V., Pleasants, S., and Caldecott, R. Radio frequency characteristics of HVDC convertor station components p61
Doone, R.M., Bickford, J.P., Ritchie, W.M., Savic, M.S., Shami, T.A., and Smith, C.T. see Bickford, J.P.

E

Elboraey, F., and Zaki, M. see Zaki, M.
Elder, J.M., Boys, J.T., and Woodward, J.L. Self-excited induction machine as a small low-cost generator p33

F

Fair, R.I., Chandler, J.A., Hinch, L.W., Hughes, D.A., Peraino, J., and Rowe, P.W. see Chandler, J.A.

G

Galanos, G., Vovos, N., and Giannakopoulos, G. Combined control and protection system for improved performance of HVDC links in the presence of AC faults p129
Giannakopoulos, G., Galanos, G., and Vovos, N. see Galanos, G.
Goldsack, J.S. Design features of the steam generator p261
Goldwag, E., Littlewood, P.A., and McCann, B. Station layout and design of major mechanical auxiliary systems related to the turbine generator p240
Gopal, S., and Rao, Y.N. Flashover phenomena of polluted insulators p140
Govan, G.R., and Littlewood, P.A. Design features of the coal and ash handling plant p268
Graham, J.C., Arrillaga, J., and Hisha, H. see Arrillaga, J.
Groeneveld, G.J., Snijders, A.L., Koopmans, G., and Vermeer, J. Improved method to calculate the critical conditions for drying out sandy soils around power cables p42

H

Harris, F.R., and Bennett, R.B. see Bennett, R.B.
Heimer, H. Castle Peak B Power Station, Hong Kong. (Editorial) p216
Henderson, C., and White, J.C.F. Control and instrumentation design p283
Hinch, L.W., Chandler, J.A., Fair, R.I., Hughes, D.A., Peraino, J., and Rowe, P.W. see Chandler, J.A.
Hinch, L.W., Chandler, J.A., Hughes, D.A., McDowell, D.M., Rowe, P.W., and Wood, A.B. see Chandler, J.A.
Hisha, H., Arrillaga, J., and Graham, J.C. see Arrillaga, J.
Hope, G.S., Kanniah, J., Tripathy, S.C., and Malik, O.P. see Kanniah, J.
Hughes, D.A., Chandler, J.A., Hinch, L.W., Fair, R.I., Peraino, J., and Rowe, P.W. see Chandler, J.A.
Hughes, D.A., Chandler, J.A., Hinch, L.W., McDowell, D.M., Rowe, P.W., and Wood, A.B. see Chandler, J.A.

J

Johns, A.T., Aggarwal, R.K., and Kalam, A. see Aggarwal, R.K.
Johns, A.T., and Al-Rawi, A.M. Developments in the simulation of long-distance single-pole-switched EHV systems p67

K

Kadoorie, Lord The role of the engineer and the future of Hong Kong (Lecture) p218
Kalam, A., Aggarwal, R.K., and Johns, A.T. see Aggarwal, R.K.
Kanniah, J., Tripathy, S.C., Malik, O.P., and Hope, G.S. Microprocessor-based adaptive load-frequency control p121
Koopmans, G., Groeneveld, G.J., Snijders, A.L., and Vermeer, J. see Groeneveld, G.J.
Kumar, A., and Malik, O.P. Discrete analysis of load-frequency control problem p144

L

Lee, K.Y., Park, Y.M., and Ortiz, J.L. Fuel-cost minimisation for both real- and reactive-power dispatches p85
Lidgate, D. Adddress as Chairman of the IEE NW Centre, Supply Section: Computers in power systems p113
Lidgate, D., and Psomadellis, F. see Psomadellis, F.
Littlewood, P.A., Goldwag, E., and McCann, B. see Goldwag, E.
Littlewood, P.A., and Govan, G.R. see Govan, G.R.

M

Macdonald, D.C., and Cory, B.J. see Cory, B.J.
Malik, O.P., Kanniah, J., Tripathy, S.C., and Hope, G.S. see Kanniah, J.
Malik, O.P., and Kumar, A. see Kumar, A.
McCann, B., Goldwag, E., and Littlewood, P.A. see Goldwag, E.
McDowell, D.M., Chandler, J.A., Hinch, L.W., Hughes, D.A., Rowe, P.W., and Wood, A.B. see Chandler, J.A.
McLaren, P.G. IEEE summer power meeting p362
Mizoguchi, H., Suzuki, K., Shimokawara, N., Murayama, Y., and Yanabu, S. see Suzuki, K.
Murayama, Y., Suzuki, K., Mizoguchi, H., Shimokawara, N., and Yanabu, S. see Suzuki, K.

O

O'Kelly, D. Voltage control for an HVDC convertor p5
Orawski, G., Adam, J.F., Bradbury, J., Charman, W.R., and Vanner, M.J. see Adam, J.F.
Ortiz, J.L., Lee, K.Y., and Park, Y.M. see Lee, K.Y.

P

Palanichamy, S., and Chinnasamy, P. Semiconductor fault-current limiters Pt. 1: Problems connected with and possible schemes for implementing short-circuit current limitation in power systems p94
Palanichamy, S., and Chinnasamy, P. Semiconductor fault-current limiters Pt. 2: Investigations on a semiconductor-diode fault-current limiter for use in power systems p98
Palanichamy, S., and Chinnasamy, P. Semiconductor fault-current limiters Pt. 3: Investigations on microprocessor-based thyristor fault-current limiter for use in power systems p103
Park, Y.M., Lee, K.Y., and Ortiz, J.L. see Lee, K.Y.
Peraino, J., Chandler, J.A., Hinch, L.W., Fair, R.I., Hughes, D.A., and Rowe, P.W. see Chandler, J.A.
Pleasants, S., DeVore, R.V., and Caldecott, R. see DeVore, R.V.
Psomadellis, F., and Lidgate, D. Microcomputer calculation of fault levels for operational interlocking p107

R

Rao, Y.N., and Gopal, S. see Gopal, S.
Read, P.W., and Barr, D.M. 400 kV transmission system, aspects and problems p292
Ritchie, W.M., Bickford, J.P., Doone, R.M., Savic, M.S., Shami, T.A., and Smith, C.T. see Bickford, J.P.
Rowe, P.W., Chandler, J.A., Hinch, L.W., Fair, R.I., Hughes, D.A., and Peraino, J. see Chandler, J.A.
Rowe, P.W., Chandler, J.A., Hinch, L.W., Hughes, D.A., McDowell, D.M., and Wood, A.B. see Chandler, J.A.
Ruiter, J.P., and Thus, A.W. Cooling of oil-filled cable joints using heat pipes p340

S

Savic, M.S., Bickford, J.P., Doone, R.M., Ritchie, W.M., Shami, T.A., and Smith, C.T. see Bickford, J.P.
Savic, M.S., and Bickford, J.P. see Bickford, J.P.

Shami, T.A., Bickford, J.P., Doone, R.M., Ritchie, W.M., Savic, M.S., and Smith, C.T. see Bickford, J.P.
Shimokawara, N., Suzuki, K., Mizoguchi, H., Murayama, Y., and Yanabu, S. see Suzuki, K.
Sirisena, H.R., and Brown, E.P.M. see Brown, E.P.M.
Smith, C.T., Bickford, J.P., Doone, R.M., Ritchie, W.M., Savic, M.S., and Shami, T.A. see Bickford, J.P.
Smith, J.R., and Bell, W.W. Selection of transmission circuit models for power-system transient studies p1
Snijders, A.L., Groeneveld, G.J., Koopmans, G., and Vermeer, J. see Groeneveld, G.J.
Stones, W.F. Recent history of electricity supply in Hong Kong (Lecture) p219
Suzuki, K., Mizoguchi, H., Shimokawara, N., Murayama, Y., and Yanabu, S. Current interruption by disconnecting switch and earthing switch in GIS p54

T

Thus, A.W., and Ruiter, J.P. see Ruiter, J.P.
Torelli, F., Brucoli, M., and Trovato, M. see Brucoli, M.
Tripathy, S.C., Kanniah, J., Malik, O.P., and Hope, G.S. see Kanniah, J.
Trovato, M., Brucoli, M., and Torelli, F. see Brucoli, M.
Tuft, G., and Wilson, J. see Wilson, J.

V

Vanner, M.J. Foundation uplift resistance: the effects of foundation type and seasonal changes in ground conditions d145
Vanner, M.J., Adam, J.F., Bradbury, J., Charman, W.R., and Orawski, G. see Adam, J.F.
Vermeer, J., Groeneveld, G.J., Snijders, A.L., and Koopmans, G. see Groeneveld, G.J.
Vovos, N., Galanos, G., and Giannakopoulos, G. see Galanos, G.

W

Warren, R.H.J., and Williams, A. see Williams, A.
White, J.C.F., and Henderson, C. see Henderson, C.
Williams, A., and Warren, R.H.J. Method of using data from computer simulations to test protection equipment p349
Wilson, J., and Tuft, G. Design of the electrical power system p275
Wood, A.B., Chandler, J.A., Hinch, L.W., Hughes, D.A., McDowell, D.M., and Rowe, P.W. see Chandler, J.A.
Woodward, J.L., Elder, J.M., and Boys, J.T. see Elder, J.M.

Y

Yanabu, S., Suzuki, K., Mizoguchi, H., Shimokawara, N., and Murayama, Y. see Suzuki, K.

Z

Zaki, M., and Elboraey, F. Processing of inverted files in magnetic-bubble memories p76

Addresses

Lidgate, D. Adddress as Chairman of the IEE NW Centre, Supply Section: Computers in power systems p113

Conference publications

255 Reliability of power supply systems p31

Contributors to discussions published in *IEE Proceedings Part C*

Bokota, J., **146**
Brooks, R.W., **239**
Brown, A.M., **239**
Bullen, D.J., **299**

Cuer, N.R., **147**
Curtis, E., **282**

Davidson, R.J., **239, 260, 273**

Finn, J.S., **300**

Gillson, I.P., **145**

Harrison, R., **273**
Heimer, H., **239, 251, 282**
Henderson, S.T., **299**
Holdup, W.H., **300**

Jubb, R.M., **145**

Maxwell-Snape, J.K., **239**
Mayers, D., **260**

Pedgrift, G.W., **239**
Pringle, C.A., **273**

Read, P.W., **299**

Simmonds, E.F., **274**
Swan, R.E., **299**

Turnbull, A.W., **251**

ARCING

Computer modelling of series-compensated EHV transmission systems. R.K. Aggarwal, A.T. Johns and A. Kalam p188
Current interruption by disconnecting switch and earthing switch in GIS. K. Suzuki, H. Mizoguchi, N. Shimokawara, Y. Murayama and S. Yanabu p54
Developments in the simulation of long-distance single-pole-switched EHV systems. A.T. Johns and A.M. Al-Rawi p67
Flashover phenomena of polluted insulators. S. Gopal and Y.N. Rao p140

CABLES AND OVERHEAD LINES

Cooling of oil-filled cable joints using heat pipes. J.P. Ruiter and A.W. Thus p340
Foundation uplift resistance: the effects of foundation type and seasonal changes in ground conditions. M.J. Vanner d145
Influence analysis of the shielding grid parameters on right-of-way and on corona effects of an EHV 3-phase transmission line. S. Cristina p333
Jamuna River 230 kV crossing, Bangladesh—Pt. 1: Design. J.A. Chandler, L.W. Hinch, D.A. Hughes, D.M. McDowell, P.W. Rowe and A.B. Wood p303
Jamuna River 230 kV crossing, Bangladesh—Pt. 2: Construction. J.A. Chandler, L.W. Hinch, R.I. Fair, D.A. Hughes, J. Peraino and P.W. Rowe p319
Overhead lines—some aspects of design and construction. J.F. Adam, J. Bradbury, W.R. Charman, G. Orawski and M.J. Vanner p149

COMPUTER APPLICATIONS

Computers in power systems. D. Lidgate p113
Microcomputer calculation of fault levels for operational interlocking. F. Psomadellis and D. Lidgate p107

COMPUTER SIMULATION

Method of using data from computer simulations to test protection equipment. A. Williams and R.H.J. Warren p349

CONTROL EQUIPMENT AND APPLICATIONS

Control and instrumentation design. C. Henderson and J.C.F. White p283
Microprocessor-based adaptive load-frequency control. J. Kanniah, S.C. Tripathy, O.P. Malik and G.S. Hope p121
Semiconductor fault-current limiters Pt. 2: Investigations on a semiconductor-diode fault-current limiter for use in power systems. S. Palanichamy and P. Chinnasamy p98
Semiconductor fault-current limiters Pt. 3: Investigations on microprocessor-based thyristor fault-current limiter for use in power systems. S. Palanichamy and P. Chinnasamy p103
Voltage control for an HVDC convertor. D. O'Kelly p5

CONTROL SYSTEMS

Combined control and protection system for improved performance of HVDC links in the presence of AC faults. G. Galanos, N. Vovos and G. Giannakopoulos p129

CONVERTORS

Combined control and protection system for improved performance of HVDC links in the presence of AC faults. G. Galanos, N. Vovos and G. Giannakopoulos p129
Determination of voltage-distortion factor for a network loaded with several DC motor drives. P. Crnošija p81
Radio frequency characteristics of HVDC convertor station components. R.V. DeVore, S. Pleasants and R. Caldecott p61
Voltage control for an HVDC convertor. D. O'Kelly p5

DIGITAL COMPUTERS AND COMPUTATION

Processing of inverted files in magnetic-bubble memories. M. Zaki and F. Elboraey p76

DIGITAL CONTROL

Microprocessor-controlled HVDC simulator. J. Arrillaga, J.C. Graham and H. Hisha p197

EARTHING

Current interruption by disconnecting switch and earthing switch in GIS. K. Suzuki, H. Mizoguchi, N. Shimokawara, Y. Murayama and S. Yanabu p54

ENGINEERING ADMINISTRATION AND MANAGEMENT

China Light & Power's project strategy. R.W. Brooks p222
Project management for the design and supply of the power station mechanical and electrical plant. A.M. Brown p236
Station layout and design of major mechanical auxiliary systems related to the turbine generator. E. Goldwag, P.A. Littlewood and B. McCann p240
The role of the engineer and the future of Hong Kong. Lord Kadoorie p218

FAULT LOCATION

Combined control and protection system for improved performance of HVDC links in the presence of AC faults. G. Galanos, N. Vovos and G. Giannakopoulos p129
Microcomputer calculation of fault levels for operational interlocking. F. Psomadellis and D. Lidgate p107
Natural decomposition of interconnected power systems for stability studies. M. Brucoli, F. Torelli and M. Trovato p16

GENERATORS

Design features of the steam generator. J.S. Goldsack p261
Determination of voltage-distortion factor for a network loaded with several DC motor drives. P. Crnošija p81
Self-excited induction machine as a small low-cost generator. J.M. Elder, J.T. Boys and J.L. Woodward p33
Station layout and design of major mechanical auxiliary systems related to the turbine generator. E. Goldwag, P.A. Littlewood and B. McCann p240

HISTORY

Recent history of electricity supply in Hong Kong. W.F. Stones p219

INSTRUMENTATION AND MEASURING SCIENCE

Control and instrumentation design. C. Henderson and J.C.F. White p283

LIGHTNING AND LIGHTNING PROTECTION

Dynamic model of a surge arrester for computer calculation of lightning performance of substations. J.P. Bickford, R.M. Doone, W.M. Ritchie, M.S. Savic, T.A. Shami and C.T. Smith p357
Some aspects of system modelling for the estimation of lightning performance of high voltage substations. J.P. Bickford and M.S. Savic p204

LOAD AND VOLTAGE REGULATION

Determination of voltage-distortion factor for a network loaded with several DC motor drives. P. Crnošija p81
Microprocessor-based adaptive load-frequency control. J. Kanniah, S.C. Tripathy, O.P. Malik and G.S. Hope p121
Voltage control for an HVDC convertor. D. O'Kelly p5

MATHEMATICAL TECHNIQUES

Fuel-cost minimisation for both real- and reactive-power dispatches. K.Y. Lee, Y.M. Park and J.L. Ortiz p85
Modified and standard back-substitution fast-decoupled power flows compared to a Newton-like method for ill-conditioned systems. P.S. Bodger p23
Power-system state estimator availability analysis. E.P.M. Brown and H.R. Sirisena p117

MODELLING

Some aspects of system modelling for the estimation of lightning performance of high voltage substations. J.P. Bickford and M.S. Savic p204

OVERHEAD LINES

Overhead lines—some aspects of design and construction. J.F. Adam, J. Bradbury, W.R. Charman, G. Orawski and M.J. Vanner p149

OVERVOLTAGES

Dynamic model of a surge arrester for computer calculation of lightning performance of substations. J.P. Bickford, R.M. Doone, W.M. Ritchie, M.S. Savic, T.A. Shami and C.T. Smith p357

POWER SYSTEM PROTECTION

Discrete analysis of load-frequency control problem. A. Kumar and O.P. Malik p144
Dynamic model of a surge arrester for computer calculation of lightning performance of substations. J.P. Bickford, R.M. Doone, W.M. Ritchie, M.S. Savic, T.A. Shami and C.T. Smith p357
Method of using data from computer simulations to test protection equipment. A. Williams and R.H.J. Warren p349
Semiconductor fault-current limiters Pt. 1: Problems connected with and possible schemes for implementing short-circuit current limitation in power systems. S. Palanichamy and P. Chinnasamy p94
Semiconductor fault-current limiters Pt. 2: Investigations on a semiconductor-diode fault-current limiter for use in power systems. S. Palanichamy and P. Chinnasamy p98
Semiconductor fault-current limiters Pt. 3: Investigations on microprocessor-based thyristor fault-current limiter for use in power systems. S. Palanichamy and P. Chinnasamy p103

POWER SYSTEMS AND PLANT

Castle Peak B Power Station, Hong Kong. (Editorial). H. Heimer p216
Computer modelling of series-compensated EHV transmission systems. R.K. Aggarwal, A.T. Johns and A. Kalam p188
Computers in power systems. D. Lidgate p113
Design features of the coal and ash handling plant. G.R. Govan and P.A. Littlewood p268
Design features of the steam generator. J.S. Goldsack p261
Design features of the turbine-generator plant. R.B. Bennett and F.R. Harris p252
Design of the electrical power system. J. Wilson and G. Tuft p275
Developments in the simulation of long-distance single-pole-switched EHV systems. A.T. Johns and A.M. Al-Rawi p67
Discrete analysis of load-frequency control problem. A. Kumar and O.P. Malik p144
Eighth power systems computation conference (PSCC). B.J. Cory and D.C. Macdonald p363
Fuel-cost minimisation for both real- and reactive-power dispatches. K.Y. Lee, Y.M. Park and J.L. Ortiz p85
IEEE summer power meeting. P.G. McLaren p362
Microcomputer calculation of fault levels for operational interlocking. F. Psomadellis and D. Lidgate p107
Microprocessor-based adaptive load-frequency control. J. Kanniah, S.C. Tripathy, O.P. Malik and G.S. Hope p121
Modified and standard back-substitution fast-decoupled power flows compared to a Newton-like method for ill-conditioned systems. P.S. Bodger p23
Natural decomposition of interconnected power systems for stability studies. M. Brucoli, F. Torelli and M. Trovato p16
Power-system state estimator availability analysis. E.P.M. Brown and H.R. Sirisena p117
Selection of transmission circuit models for power-system transient studies. J.R. Smith and W.W. Bell p1

Station layout and design of major mechanical auxiliary systems related to the turbine generator. E. Goldwag, P.A. Littlewood and B. McCann p240

POWER TRANSMISSION AND DISTRIBUTION

400 kV transmission system, aspects and problems. P.W. Read and D.M. Barr p292
Castle Peak B Power Station, Hong Kong. (Editorial). H. Heimer p216
China Light & Power's project strategy. R.W. Brooks p222
Eighth power systems computation conference (PSCC). B.J. Cory and D.C. Macdonald p363
IEEE summer power meeting. P.G. McLaren p362
Influence analysis of the shielding grid parameters on right-of-way and on corona effects of an EHV 3-phase transmission line. S. Cristina p333
Jamuna River 230 kV crossing, Bangladesh—Pt. 1: Design. J.A. Chandler, L.W. Hinch, D.A. Hughes, D.M. McDowell, P.W. Rowe and A.B. Wood p303
Jamuna River 230 kV crossing, Bangladesh—Pt. 2: Construction. J.A. Chandler, L.W. Hinch, R.I. Fair, D.A. Hughes, J. Peraino and P.W. Rowe p319
Project management for the design and supply of the power station mechanical and electrical plant. A.M. Brown p236
Radio frequency characteristics of HVDC convertor station components. R.V. DeVore, S. Pleasants and R. Caldecott p61
Selection of transmission circuit models for power-system transient studies. J.R. Smith and W.W. Bell p1

RELAYS

Method of using data from computer simulations to test protection equipment. A. Williams and R.H.J. Warren p349

SIMULATION

Microprocessor-controlled HVDC simulator. J. Arrillaga, J.C. Graham and H. Hisha p197
Natural decomposition of interconnected power systems for stability studies. M. Brucoli, F. Torelli and M. Trovato p16

SWITCHGEAR

Current interruption by disconnecting switch and earthing switch in GIS. K. Suzuki, H. Mizoguchi, N. Shimokawara, Y. Murayama and S. Yanabu p54

Radio frequency characteristics of HVDC convertor station components. R.V. DeVore, S. Pleasants and R. Caldecott p61

SYNCHRONOUS GENERATORS

Self-excited induction machine as a small low-cost generator. J.M. Elder, J.T. Boys and J.L. Woodward p33

TRANSIENTS

Selection of transmission circuit models for power-system transient studies. J.R. Smith and W.W. Bell p1

TRANSMISSION AND DISTRIBUTION PLANT

400 kV transmission system, aspects and problems. P.W. Read and D.M. Barr p292
Castle Peak B Power Station, Hong Kong. (Editorial). H. Heimer p216
China Light & Power's project strategy. R.W. Brooks p222
Foundation uplift resistance: the effects of foundation type and seasonal changes in ground conditions. M.J. Vanner d145
Fuel-cost minimisation for both real- and reactive-power dispatches. K.Y. Lee, Y.M. Park and J.L. Ortiz p85
Recent history of electricity supply in Hong Kong. W.F. Stones p219

TURBOGENERATORS

Design features of the turbine-generator plant. R.B. Bennett and F.R. Harris p252

UNDERGROUND CABLES

Cooling of oil-filled cable joints using heat pipes. R.H.J. Warren and J.P. Ruiter p349
Improved method to calculate the critical conditions for drying out sandy soils around power cables. G.J. Groeneveld, A.L. Snijders, G. Koopmans and J. Vermeer p42

Lectures

Kadoorie, Lord The role of the engineer and the future of Hong Kong p218
Stones, W.F. Recent history of electricity supply in Hong Kong p219

Conference reports

3rd international conference on reliability of power supply systems M.J. Short and W.G. Watson p25
Eighth power systems computation conference (PSCC) B.J. Cory and D.C. Macdonald p363
IEEE summer power meeting P.G. McLaren p362
IEEE winter power meeting. B.J. Cory p115